



PEEL BACK BOOK HERE AND RESEAL AFTER OPENING ►

SIPCAM AGRO USA, INC.

EMINENT[®] 125SL

FUNGICIDE

ACTIVE INGREDIENT:

Tetraconazole [(+/-)-2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl) propyl 1,1,2,2-tetrafluoroethyl ether].....11.6%

OTHER INGREDIENTS:

.....88.4%

TOTAL100.0%

Contains 1 lb. active ingredient tetraconazole per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION – AVISO

Precaucion al usuario: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand this label, find someone to explain it to you in detail.]

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Emergency phone numbers:

(800) 424-9300 CHEMTREC (transportation and spills)

(800) 222-1222 Poison Control Center (human health)

(800) 345-4735 ASPCA (animal health)

Exact Authorized Use: This is an unregistered product. The U.S. Environmental Protection Agency has authorized the use of Eminent 125SL under the specific exemption provisions of Section 18 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended, on sugarbeets in certain states to control Cercospora leafspot. Before using this product verify the approval status with your state Department of Agriculture.

Use Period: This exemption expires on September 30, 2004.

Unused Product: After expiration of the use period as stated above, any unused portion of Eminent 125SL in unopened containers must be returned to the distributor.

EPA File Symbol 60063 - RE

EPA Sec. 18 File Symbols: 04-ND-02, 04-MN-08,

04-MT-02, 04-WY-

04-NE-03, 04-CO-06,

04-MI-

Manufactured for:

SIPCAM AGRO USA, INC.

300 Colonial Center Parkway, Suite 250
ROSWELL, GA 30076 USA

EPA Establishment No. 554-ND-002

5905-IA-01

Net Contents: 2.5 gallons

EMINENT[®] is a Registered Trademark
of ISAGRO S.p.A., Milan Italy.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION - AVISO

May cause irritation of nose, throat, eyes and skin. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks
- Waterproof gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS:

This product may be toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms adjacent to treatment areas. Exercise caution when making applications of Eminent, and do not apply when atmospheric conditions favor drift or runoff. Do not contaminate water when disposing of equipment washwaters or rinsate.

In order to mitigate concern for reproductive effects to endangered bird species which may occur incidentally in sugarbeet growing areas, you are required to ascertain through the state Department of Agriculture, or other appropriate agency, whether the treatment area may contain habitat of Federally listed bird species; if so, treatment must be avoided in these areas.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instruction and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

(continued)

AGRICULTURAL USE REQUIREMENTS *(continued)*

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

GENERAL USE INFORMATION:

Apply **EMINENT 125SL** in water carrier by spraying onto crop surfaces that are intended to be protected from disease. To obtain adequate coverage of typical agricultural crops, total spray volume usually will range from 20 to 150 gallons per acre (200 to 1400 liters per hectare) for dilute sprays, and 5 to 10 gallons per acre (50 to 100 liters per hectare) for concentrate ground sprays and aircraft applications. Both ground and aircraft methods of application are recommended unless specifically stated for a specific crop use.

EMINENT 125SL should be added to the spray tank while filling with water. Keep the agitator running when filling spray tank and during spray operations. Combinations in the spray tank with pesticides, fertilizers, or surfactants are not recommended unless prior use has shown the combination to be physically compatible, effective, and non-injurious under your conditions of use.

SUGARBEETS:

Apply 13 fluid ounces of **EMINENT 125SL** per acre at intervals of 14 to 21 days, beginning when conditions are favorable for Cercospora leafspot. Applications of **EMINENT 125SL** must be alternated with a non-triazole fungicide which is registered for use on sugarbeets. If the alternate fungicide is known to provide protection for up to 14 days, applications of **EMINENT 125SL** should be no longer than 28 days apart. Do not make more than two (2) applications of **EMINENT 125SL** per growing season. Do not apply **EMINENT 125SL** within 14 days before harvest. Crops other than sugarbeet should not be grown within 120 days following the last application of **EMINENT 125SL**.

GENERAL CHEMIGATION INSTRUCTIONS:

Apply this product only through one or more of the following types of systems: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set or hand move irrigation system. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

For specific information about calibration, contact State Extension Service specialists, equipment manufacturers, or other irrigation experts.

Do not connect an irrigation system used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Sprinkler Chemigation:

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

When mixing, fill nurse tank half full with water. Add **EMINENT 125SL** slowly to tank while hydraulic or mechanical agitation is operating and continue filling with water. Stickers, spreaders, etc., should be added last. If compatibility is in question, use the compatibility jar test before mixing a whole tank. Because of the wide variety of possible combinations which can be encountered, observe all cautions and limitations on the label of all products used in mixtures.

EMINENT 125SL should be added through a traveling irrigation system continuously or at the last 30 minutes of solid set or hand moved irrigation systems. Agitation is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store unused product in original container only in a cool, dry area out of the reach of children or animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

CONDITIONS OF SALE: Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc.. **SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.**



SIPCAM AGRO USA, INC.
EMINENT® 125SL
FUNGICIDE

**ACTIVE INGREDIENT:**

Tetraconazole [(+/-)-2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl) propyl 1,1,2,2-tetrafluoroethyl ether].....11.6%

OTHER INGREDIENTS:88.4%**TOTAL**100.0%

Contains 1 lb. active ingredient tetraconazole per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION – AVISO

Precaucion al usuario: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand this label, find someone to explain it to you in detail.]

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Emergency phone numbers:

(800) 424-9300 CHEMTREC (transportation and spills)

(800) 222-1222 Poison Control Center (human health)

(800) 345-4735 ASPCA (animal health)

Exact Authorized Use: This is an unregistered product. The U.S. Environmental Protection Agency has authorized the use of Eminent 125SL under the specific exemption provisions of Section 18 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended, on sugarbeets in certain states to control Cercospora leafspot. Before using this product verify the approval status with your state Department of Agriculture. **Use Period:** This exemption expires on September 30, 2004.

Unused Product: After expiration of the use period as stated above, any unused portion of Eminent 125SL in unopened containers must be returned to the distributor.

EPA File Symbol 60063 - RE

EPA Sec. 18 File Symbols: 04-ND-02, 04-MN-08,

04-MT-02, 04-WY,

04-NE-03, 04-CO-06,

04-MI-

Manufactured for:

SIPCAM AGRO USA, INC.

300 Colonial Center Parkway, Suite 230

ROSWELL, GA 30076 USA

EPA Establishment No. 554-ND-002

5905-IA-01

Net Contents: 2.5 gallons

EMINENT® is a Registered Trademark
 of ISAGRO S.p.A., Milan Italy.